PARTS BOOK

MASSEY-FERGUSON

DAVIS

NO. 99

LOADER

NORTH AMERICAN PARTS OPERATIONS

Massey-Ferguson Inc.

FORM NO. 651 054 M94

Printed in U.S.A.

© 1982 Massey-Ferguson Inc.

2M - 5/82

GENERAL INFORMATION

THIS BOOK IS PRINTED IN TWO SECTIONS. THE FIRST SECTION CONTAINS A PICTORIAL AND GROUP INDEX PLUS A NUMERICAL INDEX OF ALL PART NUMBERS INCLUDED IN THIS BOOK. THE PAGES IN THIS SECTION ARE NUMBERED WITH ROMAN NUMERALS.

THE LISTING SECTION INCLUDES A PART NUMBER LISTING REFERENCED TO ITEM NUMBERS ON THE ILLUSTRATED PAGE DIRECTLY OPPOSITE. PAGES IN THIS SECTION ARE NUMBERED WITH ARABIC NUMERALS.

THE PAGE NUMBERS APPEAR IN THE UPPER OUTER CORNER OF THE PAGE. PARTS BOOK NUMBER AND DATE WILL APPEAR AT THE LOWER RIGHT HAND CORNER OF THE PAGE. ODD NUMBERED PAGES WILL ALSO CARRY THE MACHINE NAME TO ASSIST IN IDENTIFYING THE MACHINE TO WHICH THE PARTS BOOK APPLIES.

WHEN CHANGES TO THE MACHINE MAKE IT NECESSARY, REVISED PAGES FOR THIS BOOK WILL BE ISSUED. THE REVISED PAGES WILL BE ISSUED WITH THE SAME PAGE NUMBER AS THOSE THEY REPLACE AND THE "ISSUE" NUMBER AND DATE WILL BE ADVANCED.

FROM TIME TO TIME CHANGE INFORMATION WILL BE ISSUED IN THE FORM OF A "PARTS RELEASE AND CHANGE BULLETIN." INFORMATION FROM THESE BULLETINS SHOULD BE ENTERED IN THE PROPER PAGES AS SOON AS THE BULLETINS ARE RECEIVED.

WHENEVER A PAGE OF THIS BOOK IS RE-ISSUED, THE CURRENT PAGE LISTING WILL ALSO BE RE-ISSUED. THIS LISTING WILL SHOW THE ISSUE NUMBER AND DATE OF ISSUE OF EACH PAGE AS A CHECK SHEET COVERING THE ENTIRE BOOK.

IT IS IMPERATIVE THAT REVISED PARTS BOOK PAGES BE INSERTED INTO THEIR RESPECTIVE PARTS BOOKS AS SOON AS RECEIVED. FAILURE TO DO SO WILL LEAD TO CONFUSION AND DEFEAT THE PURPOSE OF THE BOOK.

INDENTED PARTS IN THE DESCRIPTIVE LIST ARE A PART OF THE PRECEDING ASSEMBLY OR SUB-ASSEMBLY.

THE QUANTITY SHOWN IN THE "NUMBER REQUIRED" COLUMN IS THE NUMBER OF PARTS USED ON A MACHINE EXCEPT WHERE PARTS ARE IDENTED IN DESCRIPTIVE LIST. IN THIS CASE THE QUANTITY SHOWN IS THE NUMBER REQUIRED FOR THE PRECEDING ASSEMBLY OR SUB-ASSEMBLY.

FOR CERTAIN PARTS SUCH AS BOLTS, NUTS, WASHERS, SHIMS, ETC. AN "X" WILL BE SHOWN IN THE "NUMBER REQUIRED" COLUMN. THIS "X" INDICATES THAT THE QUANTITY TO BE USED IS "AS REQUIRED."

MASSEY-FERGUSON INDUSTRIAL EQUIPMENT IS DESIGNED AND BUILT FOR MAXIMUM PERFORMANCE AND LONG LIFE. ALL SERVICE PARTS ARE MANUFACTURED WITH THE SAME CARE AND PRECISION EXERCISED IN PRODUCTION.

STOCK AND SELL ONLY MASSEY FERGUSON PARTS
YOUR CUSTOMER EXPECTS IT OF YOU



PICTORIAL INDEX

Ref. No.	Description	Page
1	Attachments	22-26
2	Control Valve	16,18
3	Dump Cylinder	16,18
4	Hoses and Oil Lines	10
5	Hydraulic Pump	16
6	Lift Arms	2-8
7	Lift Cylinders	20
8	Oil Filter (In Reservoir)	10
9	Side Frames	2-8

	Page
Attachments	23-27
Bumper	3,7,9
Decals	29
Dump Cylinders	17,19
Frames	3-9
Hydraulic Lines	11
Hydraulic Valve	17,19
Lift Arms	3-9
Lift Cylinders	21
Oil Filter	11
Pump	17
Pump Drives	13,15

Printed in U.S.A. 1st Print NO. 99 LOADER 651 054 M94 (Issue 1) 5/62

Part No.	See Page
2 409 X	3-9
2 759 X	3
14 351 X	3-9,17,19
15 784 X	27
16 144 X	27
16 374 X	13,15
19 891 X	27
22 185 X	3
22 240 X	11
22 764 X	13,15
22 810 X	17,19
195 260 M1	17,19
195 550 M1	19
195 869 M1	11
196 293 M1	29
352 432 X1	15
353 273 X1	23,25
353 366 X1	19
353 426 X1	9,11
353 427 X1	5-9,23
353 429 X1	25
353 431 X1	23,27
353 432 X1	11,17
353 433 X1	5-9,23
353 434 X1	23,27
353 435 X1	7,9,25
353 437 X1	7-11,25
353 439 X1	7-11,23
353 440 X1	3-9,25
353 443 X1	25
353 446 X1	11,19
353 457 X1	25
353 524 X1	15
353 538 X1	23,27
353 563 X1	11
353 565 X1	9
353 566 X1	27
353 567 X1	7,9
353 593 X1	9,27
353 595 X1	7-11,25
353 599 X1	27
353 611 X1	7,9
353 615 X1	5
353 619 X1	23
353 631 X1	7,9
353 666 X1	17
353 677 X1	11
353 679 X1	11
353 681 X1	19
353 682 X1	11
353 693 X1	13,15
353 700 X1	11,15
353 702 X1	17
353 704 X1	13
353 758 X1	11
353 760 X1	7,9,15
353 764 X1	25
353 916 X1	15
353 918 X1	27
353 933 X1	27
353 949 X1	29
354 068 X1	11
354 091 X1	23,25
354 092 X1	3-11
354 125 X1	15
354 304 X1	25
354 308 X1	5
354 393 X1	25
354 567 X1	3
354 568 X1	25
354 615 X1	17
354 619 X1	17
354 706 X1	3
354 710 X1	3
355 565 X1	19
355 566 X1	27
355 621 X1	7
355 624 X1	3,5
355 625 X1	15
355 696 X1	3-9
355 785 X1	25
357 113 X1	11
357 122 X1	11
358 402 X1	13
358 421 X1	13
359 404 X1	15
359 405 X1	13,15
359 994 X1	27
360 123 X1	3,5
360 298 X1	11
361 140 X1	17,19
375 098 X1	23-27
375 112 X1	13
668 753 M1	11
704 165 M91	11,17
704 166 M91	17
704 253 M91	3-9
704 334 M91	9
704 336 M91	9
704 342 M91	7
704 344 M91	7
704 358 M91	3
704 360 M91	3
704 366 M91	5
704 368 M91	5
704 388 M91	21
704 388 M92	21
704 388 M93	21
704 388 M94	11,21
704 390 M91	11,17,27
704 394 M91	11
704 394 M93	17
704 402 M91	11
704 643 M91	17
704 802 M1	25
704 812 M91	15
704 914 M91	11,19
704 916 M91	11,19
704 932 M91	19
704 942 M92	11,19
705 008 M1	29
705 018 M1	29
733 504 M1	15
733 872 M1	15
766 024 M91	3-9
831 497 M1	11
831 533 M1	11,19
832 043 M1	11
832 646 M1	3,5
832 646 M1	7,9
835 024 M1	11-19
835 025 M1	11
835 126 M1	17
835 130 M1	17,19
835 156 M1	11
835 597 M91	19
841 510 M91	19
851 145 M1	17

Part No.	See Page
852 140 M1	21
1 001 465 M1	17,19
1 006 807 M1	3
1 006 808 M1	3
1 006 809 M1	3
1 017 391 M91	21
1 017 392 M91	21
1 017 393 M1	21
1 017 908 M1	17
1 018 066 M1	17
1 018 376 M1	19
1 018 379 M91	19
1 019 852 M1	19
1 019 853 M1	19
1 019 854 M91	19
1 019 855 M1	19
1 019 856 M1	19
1 019 857 M1	19
1 019 858 M1	19
1 019 859 M1	19
1 019 860 M1	19
1 019 861 M1	19
1 019 862 M1	19
1 019 863 M1	19
1 019 864 M1	19
1 019 865 M1	19
1 019 866 M1	19
1 019 867 M1	19
1 019 868 M1	19
1 019 869 M1	19
1 019 975 M91	19
1 019 976 M1	19
1 049 756	27
1 049 757	27
1 049 762	23
1 049 763	23
1 049 766	23
1 049 767	23
1 049 770	23
1 049 771	23
1 049 772	23
1 049 773	23
1 049 778	23
1 049 779	23
1 049 782	23
1 049 783	23
1 049 786	25
1 049 787	25
1 049 788	23
1 049 789	23
1 049 790	25
1 049 791	25
1 049 792	25
1 049 793	25
1 049 794	25
1 049 795	25
1 049 803	25
1 049 809	25
1 049 810	25
1 085 091 M1	3-9,25
1 085 272 M1	17
1 085 443 M1	19
1 085 845 M1	9
1 085 975 M1	15
1 085 976 M1	15
1 086 011 M91	27
1 086 469 M1	11
1 086 529 M1	19
1 086 595 M1	11
1 086 696 M1	13
1 140 801	23
1 400 001 M1	3-9
1 400 003 M91	15
1 400 004 M1	15
1 400 005 M91	11
1 400 006 M1	11
1 400 007 M91	11
1 400 008 M91	11
1 400 009 M91	11
1 400 010 M1	11
1 400 011 M91	11
1 400 012 M91	11
1 400 013 M1	3-9
1 400 014 M1	11
1 400 015 M1	11
1 400 016 M1	3-9
1 400 017 M1	3-9
1 400 019 M1	3
1 400 020 M1	3
1 400 021 M1	3
1 400 022 M91	13,15
1 400 023 M91	13
1 400 024 M1	13
1 400 025 M1	13
1 400 026 M91	9
1 400 027 M1	7,9
1 400 028 M91	7,9
1 400 029 M1	7
1 400 030 M91	3
1 400 032 M91	25
1 400 033 M91	25
1 400 049 M91	11
1 400 050 M91	11
1 400 154 M1	11,19
1 400 155 M1	17
1 400 157 M1	17
1 400 162 M1	17
1 400 163 M1	17
1 400 164 M91	17
1 400 165 M1	17
1 400 166 M1	17
1 400 167 M1	17
1 400 169 M91	21
1 400 170 M1	21
1 400 171 M1	21
1 400 172 M1	21
1 400 173 M1	21
1 400 174 M1	21
1 400 175 M91	17
1 400 176 M1	17
1 400 178 M1	17
1 400 181 M1	17
1 400 182 M1	17
1 400 183 M1	17
1 400 184 M1	17
1 400 185 M1	17
1 400 186 M1	17
1 400 199 M91	17
1 400 200 M1	29
1 400 210 M91	27
1 400 241 M1	15
1 400 242 M1	15
1 400 243 M1	25
1 400 244 M1	25
1 400 245 M1	25
1 400 246 M1	25
1 400 257 M1	11
1 400 258 M1	11

Part No.	See Page
1 400 259 M1	11
1 400 279 M91	13
1 400 280 M1	13
1 400 284 M91	25
1 400 285 M1	25
1 400 286 M1	25
1 400 287 M1	25
1 400 288 M1	3-9,25
1 400 290 M91	25
1 400 303 M1	13
1 400 318 M91	3-9
1 400 954 M91	27
1 400 955 M91	27
1 400 959 M91	27
1 400 964 M1	27
1 400 970 M91	27
1 400 972 M91	27
1 401 338 M1	17
1 401 506 M1	13
1 401 523 M91	3-9
1 401 524 M91	3-9
1 401 683 M1	23
1 401 683 M2	23,25
1 401 684 M1	23,25
1 401 814 M91	13
1 401 815 M1	13
1 401 816 M1	13
1 401 822 M2	13
1 403 106 M91	21
1 403 136 M1	17
1 403 137 M2	17
1 403 293 M1	15
1 403 369 M1	29
1 501 332 M1	13
1 506 223 M1	21
1 506 225 M1	21
1 509 429 M1	17,19
1 751 910 M1	27
1 751 925 M1	27
1 751 926 M91	27
1 751 931 M91	27
1 751 933 M1	27
1 751 934 M1	27
1 751 935 M1	27
1 751 936 M1	27
1 751 938 M1	27
1 751 939 M1	27
1 751 942 M91	27
1 751 946 M1	27
1 751 947 M91	27
1 751 962 M1	27
1 751 963 M1	27
1 751 964 M1	27
1 751 965 M1	27
1 751 966 M1	27
1 751 967 M1	27
1 751 969 M91	27
1 751 975 M1	27
1 751 977 M1	27
1 752 032 M1	23
1 752 036 M1	23
1 752 047 M1	23
1 752 053 M1	23
1 752 072 M1	11
1 752 141 M1	17,19
1 752 162 M1	17
1 752 163 M1	17
1 752 167 M1	19
1 752 170 M1	17,19
1 752 171 M1	17,19
1 752 206 M1	13,15
1 752 223 M1	15
1 752 224 M1	15
1 752 225 M1	15
1 752 248 M1	9
1 752 249 M1	9
1 752 250 M1	9
1 752 251 M1	9
1 752 252 M1	9
1 752 269 M1	7-11
1 752 279 M1	11,19
1 752 280 M1	11
1 752 281 M1	25,27
1 752 282 M1	25
1 752 296 M91	25
1 752 300 M1	25
1 752 344 M1	17
1 752 345 M1	17
1 752 346 M1	17
1 752 347 M1	17
1 752 348 M1	17
1 752 349 M1	17
1 752 357 M91	17
1 752 359 M1	17
1 752 360 M1	17,19
1 752 361 M1	17
1 752 362 M91	17
1 752 364 M1	17
1 752 366 M1	19
1 752 367 M1	17
1 752 368 M1	17
1 752 369 M1	17
1 752 531 M1	3-11,25
1 752 532 M91	3,11,23
1 752 619 M1	23
1 752 784 M1	23
1 753 018 M1	25
1 753 180 M1	25
1 753 244 M1	23
1 753 259 M91	25
1 753 262 M1	23
1 753 267 M1	23
1 753 432 M91	25
1 753 433 M91	25
1 753 435 M1	25
1 753 436 M1	25
1 753 441 M1	3-9
1 753 442 M91	3-9
1 753 480 M1	11
1 753 487 M1	21
1 753 723 M92	13
1 753 729 M1	15
1 753 731 M1	15
1 753 740 M1	25
1 753 843 M91	15
1 753 845 M1	15
1 754 089 M91	27
1 754 090 M91	27
1 754 487 M1	17
1 754 495 M1	17
1 754 496 M1	17
1 754 669 M1	17
1 754 914 M1	21
1 755 004 M1	17
MP 1 049	27

E710-2


6
7
5
10
29
30
28
31
32
27
18
23
19
15
1
9
14
8
13
11
12
2
24
43
25
H
J
26
3
27
18
23
20
17
16
4
K
H
37
39
38
J
40
39
38
K
41
39
42

LIFT ARMS, FRAMES, BUMPER

FOR MF 50, MH 50, F 40 AND MF 65 TRACTORS

Ref. No.	Part No.	Description	No. Req.
1	704 358 M91	Frame, Side, Right (Non-Reservoir)	1
2	704 360 M91	Frame, Side, Left (Reservoir)	1
3	2 409 X	Plug (1/8" Pipe)	1
4	1 400 030 M91	Bumper Assembly	1
5	704 253 M91	Lift Arm	1
6	1 401 524 M91	End Assembly, Arm Pivot (Welded)	2
7	1 753 441 M1	Bushing, Arm Pivot	1
8	1 401 523 M91	End Assembly, Bucket Pivot (Welded)	2
9	1 400 001 M1	Bushing, Bucket Pivot	1
10	1 400 288 M1	Pivot, Dump Ram (Welded)	1
11	1 753 442 M91	Pin Assembly, Arm Pivot	2
12	14 351 X	Grease Fitting (3/16" Str. Drive)	1
13	832 646 M1	Nut (1" - 14 Hex., Special)	2
14	1 400 013 M1	Pin, Bucket	2
15	1 085 091 M1	Pin (7/16" Klik)	2
16	1 400 021 M1	Pin, Bumper	2
17	1 752 532 M91	Pin Assembly (1/4" Klik)	2
18	1 400 016 M1	Adapter, Breather	1
19 (A)	1 400 318 M91	Chain and Dip Stick Assembly	1
20 (B)	1 400 017 M1	Stick, Dip	1
23	355 696 X1	Pin (1/16 x 1-1/4", Spiral)	1
24	1 400 019 M1	Bar, Bumper Support, Right	1
25	1 400 020 M1	Bar, Bumper Support, Left	1
26	1 752 531 M1	Pin, Lower Lift Cylinder	2
27	766 024 M91	Breather Assembly	1
28	1 006 807 M1	Shield, Breather	1
29	22 185 X	Screw, Shield (#10 x 1-1/4" NF, Rd. Hd.)	1
30	2 759 X	Washer (#10 Lock)	1
31	1 006 808 M1	Element, Breather (Filter)	1
32	1 006 809 M1	Base, Breather	1
37	354 706 X1	Bolt (3/4 x 1-1/2" NC, Hex.)	x
38	355 624 X1	Washer (3/4" Flat)	x
39	353 440 X1	Washer (3/4" Lock)	x
40	354 710 X1	Bolt (3/4 x 2" NC, Hex.)	x
41	354 567 X1	Bolt (3/4 x 2-1/4" NF, Hex.)	x
42	360 123 X1	Nut (3/4" NF, Hex.)	x
43	354 092 X1	Cotter Pin (1/4 x 1-3/4")	x

Notes: (A) - Used late machines.
(B) - Used early machines.

E711-2


15
16
19
18
15
16
19
17
14
8
13
7
9
4
5
6
1
12
10
11
2
3
B
C
25
20
B
26
27
28
C
29
30
31
32

E711-2


5
6
4
9
15
16
19
18
15
16
19
17
14
8
13
7
1
12
10
11
B
2
3
C
25
20
B
26
27
28
C
29
30
31
32

LIFT ARMS, SIDE FRAMES, BUMPER

FOR MF 202 & 204 AND MF 203 & 205 TRACTORS

Ref. No.		Part No.	Description	No. Req.
1		704 366 M91	Frame, Side, Right (Non-Reservoir)	1
2		704 368 M91	Frame, Side, Left (Reservoir)	1
3		2 409 X	Plug (1/8" Pipe)	1
4		704 253 M91	Lift Arm Assembly	1
5		1 401 524 M91	End Assembly, Arm Pivot (Welded)	2
6		1 753 441 M1	Bushing, Arm Pivot	1
7		1 401 523 M91	End Assembly, Bucket Pivot (Welded)	2
8		1 400 001 M1	Bushing, Bucket Pivot	1
9		1 400 288 M1	Pivot, Dump Ram (Welded)	1
10		1 753 442 M91	Pin Assembly, Arm Pivot	2
11		14 351 X	Grease Fitting (3/16" Str. Drive)	1
12		832 646 M1	Nut (1" - 14 Hex., Special)	2
13		1 400 013 M1	Pin, Bucket	2
14		1 085 091 M1	Pin (7/16" Klik)	2
15		766 024 M91	Breather Assembly (See Page 3)	1
16	(A)	1 400 016 M1	Adapter, Breather	1
17	(B)	1 400 318 M91	Chain and Dip Stick Assembly	1
18		1 400 017 M1	Stick, Dip	1
19		355 696 X1	Pin (1/16 x 1-1/4" Spirol)	1
20		1 752 531 M1	Pin, Lower Lift Cylinder	2
25		354 092 X1	Cotter Pin (1/4 x 1-3/4")	x
26		353 615 X1	Bolt (5/8 x 2" NF, Hex.)	x
27		353 433 X1	Washer (5/8" Lock)	x
28		353 427 X1	Nut (5/8" NF, Hex.)	x
29		354 308 X1	Bolt (3/4 x 2" NF, Hex.)	x
30		353 440 X1	Washer (3/4" Lock)	x
31		355 624 X1	Washer (3/4" Flat)	x
32		360 123 X1	Nut (3/4" NF, Hex.)	x

Notes: (A) - Used late machines.
(B) - Used early machines.


E712-2
15
16
19
18
5
6
4
9
15
16
19
17
14
1
8
13
7
12
10
11
2
24
J
J
23
22
H
42
20
3
K
21
M
H
30
31
32
33
J
34
35
K
36
35
37
38
M
39
40
41

FOR TO 35, FE 35 AND MF 35

Ref. No.		Part No.	Description	No. Req.
1		704 342 M91	Frame, Side, Right (Non-Reservoir)	1
2		704 344 M91	Frame, Side, Left (Reservoir)	1
3		2 409 X	Plug (1/8" Pipe)	1
4		704 253 M91	Lift Arm Assembly	1
5		1 401 524 M91	End Assembly, Arm Pivot (Welded)	2
6		1 753 441 M1	Bushing, Arm Pivot	1
7		1 401 523 M91	End Assembly, Bucket Pivot (Welded)	2
8		1 400 001 M1	Bushing, Bucket Pivot	1
9		1 400 288 M1	Pivot, Bucket Ram (Welded)	1
10		1 753 442 M91	Pin, Arm Pivot	2
11		14 351 X	Grease Fitting (3/16" Str. Drive)	1
12		832 646 M1	Nut (1" - 14 Hex., Special)	2
13		1 400 013 M1	Pin, Bucket	2
14		1 085 091 M1	Pin (7/16" Klik)	2
15		766 024 M91	Breather Assembly (See Page 3)	1
16		1 400 016 M1	Adapter, Breather	1
17	(A)	1 400 318 M91	Chain and Dip Stick Assembly	1
18	(B)	1 400 017 M1	Stick, Dip	1
19		355 696 M1	Pin (1/16 x 1-1/4" Spirol)	1
20		1 752 531 M1	Pin, Lower Lift Cylinder	2
21		1 400 028 M91	Bumper Assembly	1
22		1 752 269 M1	Plate, Pump Mounting	1
23		1 400 027 M1	Bracket, Pump Plate	1
24		1 400 029 M1	Bracket, Front Support	1
30		353 595 X1	Bolt (1/2 x 1-1/2" NF, Hex.)	x
31		353 439 X1	Washer (1/2" Lock)	x
32		355 621 X1	Washer (1/2" Flat)	x
33		353 437 X1	Nut (1/2" NF, Hex.)	x
34		353 611 X1	Bolt (5/8 x 1-1/2" NC, Hex.)	x
35		353 433 X1	Washer (5/8" Lock)	x
36		353 631 X1	Bolt (5/8 x 4" NF)	x
37		353 760 X1	Washer (5/8" Flat)	x
38		353 427 X1	Nut (5/8" NF, Hex.)	x
39		353 567 X1	Bolt (3/4 x 2-1/4" NF)	x
40		353 440 X1	Washer (3/4" Lock)	x
41		353 435 X1	Nut (3/4" NF, Hex.)	x
42		354 092 X1	Cotter Pin (1/4 x 1-3/4")	x

Notes: (A) - Used late machines.
(B) - Used early machines.

E713-2


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
49
L
M
N
P
R
S
39
40
35
36
37
38
36
37
41
42
43
44
42
45
43
46
47
48

FOR FERGUSON, TE 20, TEA 20, TO 20, TO 30 AND FORD-FERGUSON 8N, 9N

Ref. No.	Part No.	Description	No. Req.
1	704 334 M91	Frame, Side, Right (Non Reservoir)	1
2	704 336 M91	Frame, Side, Left (Reservoir)	1
3	2 409 X	Plug (1/8" Pipe)	1
4	1 400 028 M91	Bumper Assembly	1
5	704 253 M91	Lift Arm Assembly	1
6	1 401 524 M91	End Assembly, Arm Pivot (Welded)	2
7	1 753 441 M1	Bushing, Arm Pivot	1
8	1 401 523 M91	End Assembly, Bucket Pivot (Welded)	2
9	1 400 001 M1	Bushing, Bucket Pivot	1
10	1 400 288 M1	Pivot, Dump Ram (Welded)	1
11	1 753 442 M91	Pin Assembly, Arm Pivot	2
12	14 351 X	Grease Fitting (3/16" Str. Drive)	1
13	832 646 M1	Nut (1" - 14 Hex., Special)	2
14	1 400 013 M1	Pin, Bucket	2
15	1 085 091 M1	Pin (7/16" Klik)	2
16	766 024 M91	Breather Assembly (See Page 3)	1
17	1 400 016 M1	Adapter, Breather	1
18 (D)	1 400 318 M91	Chain and Dip Stick Assembly	1
19 (E)	1 400 017 M1	Stick, Dip	1
20	355 696 X1	Pin (1/16 x 1-1/4" Spirol)	1
21	1 752 531 M1	Pin, Lower Lift Cylinder	2
22	1 752 269 M1	Plate, Pump Mounting	1
23	1 400 027 M1	Support, Pump Mounting	1
24	1 400 026 M91	Bracket Assembly, Front Support	1
25 (A)	1 085 845 M1	Plate, Stabilizer	1
25 (B)	1 752 249 M1	Plate, Stabilizer	1
26 (C)	1 752 248 M1	Plate, Stabilizer	1
27 (B)	1 752 251 M1	Washer, Reinforcing	1
28 (B)	1 752 252 M1	Strap, Tie	1
29 (A)	1 752 250 M1	Washer, Tie	1
35	353 593 X1	Bolt (1/2 x 1-1/4" NF, Hex.)	x
36	353 439 X1	Washer (1/2" Lock)	x
37	353 437 X1	Nut (1/2" NF, Hex.)	x
38	353 595 X1	Bolt (1/2 x 1-1/2" NF, Hex.)	x
39	353 565 X1	Bolt (7/16 x 1-3/4" NF, Hex.)	x
40	353 426 X1	Nut (7/16" NF, Hex.)	x
41	353 611 X1	Bolt (5/8 x 1-1/2" NF, Hex.)	x
42	353 433 X1	Washer (5/8" Lock)	x
43	353 427 X1	Nut (5/8" NF, Hex.)	x
44	353 631 X1	Bolt (5/8 x 4" NF, Hex.)	x
45	353 760 X1	Washer (5/8" Small Flat)	x
46	353 567 X1	Bolt (3/4 x 2-1/4" NF, Hex.)	x
47	353 440 X1	Washer (3/4" Lock)	x
48	353 435 X1	Nut (3/4" NF, Hex.)	x
49	354 092 X1	Cotter Pin (1/4 x 1-3/4")	x

Notes: (A) - Used only on Ford Ferguson 8N, 9N.
(B) - Used only on Ferguson TE 20 and TEA 20.
(C) - Used only on Ferguson TO 30 and TO 20.
(D) - Used late machines.
(E) - Used early machines.

E714-2



A	B	C	D	E
47	49	50	51	54
48	52	52	52	56
			53	55
				57

Ref. No.	Part No.	Description	No. Req.
1	704 388 M94	Lift Cylinder Assembly (See Page 21)	2
2 (E)	704 942 M92	Dump Cylinder Assembly (See Page 19 Item 40)	1
2 (F)	704 390 M91	Dump Cylinder Assembly (See Page 19 Item 75)	1
3 (E)	704 916 M91	Valve Assembly, Left Hand Control, 3 Way (See Page 19 Item 1)	1
3	704 394 M91	Valve Assembly, Left Hand Control, 3 Way (See Page 17 Item 15)	1
4	704 165 M91	Hydraulic Pump Assembly (See Page 17)	1
5 (C-D)	1 400 049 M91	Hose (3/8 x 78" Special)	1
5 (B)	1 400 005 M91	Hose (3/8 x 88" Special)	1
6	1 400 007 M91	Hose and Tube (1/2 x 24-1/2")	2
7	1 400 012 M91	Hose and Tube (3/8 x 30")	1
8 (A)	1 400 011 M91	Hose and Tube (3/8 x 60")	1
8 (B)	1 400 050 M91	Hose and Tube (3/8 x 66")	1
9	1 400 009 M91	Hose (3/8 x 26")	2
10 (B)	1 400 259 M1	Hose, Suction (1" ID x 52")	1
10 (C)	1 400 257 M1	Hose, Suction (1" ID x 72")	1
11 (D)	1 400 258 M1	Hose, Suction (1" ID x 50")	1
12	1 400 008 M91	Tube Assembly	2
13	1 752 279 M1	Gasket, Valve	1
14	831 497 M1	"O" Ring	3
15	360 298 X1	Adapter (90°)	1
16	1 086 595 M1	Adapter (Used w/704 394 M91)	1
16	1 400 154 M1	Adapter (Used w/704 916 M91)	1
17	835 024 M1	"O" Ring	3
18	835 025 M1	"O" Ring	1
19	1 086 469 M1	"O" Ring	1
20	1 400 006 M1	Adapter	1
21 (D)	22 240 X	Adapter	1
22	835 156 M1	Clamp, Hose	2
23 (D)	1 753 480 M1	Nipple (3/4 x 2" Special)	1
24 (D)	357 113 X1	Elbow (3/4" x 90°)	2
25	357 122 X1	Nipple (3/4 x 2" Pipe)	1
26	704 402 M91	Filter Assembly, Oil	1
31	832 043 M1	Adapter	2
32	1 400 010 M1	Tee, Special Hydraulic (Used w/704 394 M91 Valve)	1
32	704 914 M91	Adapter Assembly, Special Hydraulic (Used w/704 916 M91 Valve)	1
33	831 533 M1	"O" Ring	1
34	1 752 280 M1	Pin, Upper, Lift Cylinder	2
35	1 752 531 M1	Pin, Lower, Dump and Lift Cylinder	3
36	1 752 072 M1	Pin, Upper, Dump Cylinder	1
37	1 752 532 M91	Pin Assembly (1/4" Klik)	1
38 (A)	1 752 269 M1	Plate, Pump Mounting	1
39	1 400 014 M1	Clamp, Tube	1
40	1 400 015 M1	Clamp, Tube	1
41	668 753 M1	Clamp, Hose	1
42	195 869 M1	"O" Ring	2
47	353 677 X1	Bolt (5/16 x 7/8" NC, Hex.)	x
48	353 446 X1	Washer (5/16" Lock)	x
49	353 679 X1	Bolt (5/16 x 1" NC, Hex.)	x
50	353 682 X1	Bolt (5/16 x 1-3/8" NC, Hex.)	x
51 (B-D)	353 563 X1	Bolt (7/16 x 1-1/2" NF, Hex.)	x
51 (C)	353 700 X1	Bolt (7/16 x 1-1/4" NF, Hex.)	x
52	353 432 X1	Washer (7/16" Lock)	x
53	353 426 X1	Nut (7/16" NF, Hex.)	x
54	353 595 X1	Bolt (1/2 x 1-1/2" NF, Hex.)	x
55	353 758 X1	Washer (1/2" Flat)	x
56	353 439 X1	Washer (1/2" Lock)	x
57	353 437 X1	Nut (1/2" NF, Hex.)	x
58	354 092 X1	Cotter Pin (1/4 x 1-3/4")	x
59	354 068 X1	Cotter Pin (5/32 x 1-1/4")	x

Notes: (A) - TO 20-30, Ford-Ferguson 8N, 9N, TEA 20, TE 20, MF 202-204, MF 203-205, TO 35, MF 35 and FE 35.
(B) - Ford-Ferguson 8N, 9N, Ferguson TO 20-30, TE and TEA 20, TO 35, MF 35, and FE 35.
(C) - MH 50, MF 50, F 40, MF 65.
(D) - MF 202-204, MF 203-205.
(E) - Used late machines.
(F) - Used early machines.

E862-51


1
2
3
4
5
6
7
8
9
10
15
16
17
18
19
20
21
22
23
24
25
26
27
31
32
33
34
35
36
37
38
39
45
46
47
49
B
B

PUMP DRIVES

FOR FRONT MOUNTED PUMP

USED ON MF 202 WORK BULL TRACTORS AFTER SERIAL NO. 303157

Ref. No.	Part No.	Description	No. Req.
1	1 400 279 M91	Shaft and Coupler Assembly	1
2	1 400 025 M1	Shaft (7/8 to 11/16" x 10-11/32" Long)	1
3	1 400 280 M1	Coupler (11/16" ID x 2-1/4" Long)	1
4	1 501 332 M1	Key (3/16 x 3/4" Woodruff)	1
5	1 753 723 M92	Adapter Assembly, Pulley	1
6	1 400 022 M91	Bushing	3
7	1 752 206 M1	Bolt, Pulley Retaining (5/8 x 1-1/8" NF, Hex., Special)	1
8	16 374 X	Washer (5/8" Ext. Skpf.)	1
9	353 693 X1	Bolt (3/8 x 1-1/4" NC, Hex.)	x
10	359 405 X1	Washer (3/8" Ext. Skpf.)	x

FOR FRONT MOUNTED PUMP

USED ON MF 202 WORK BULL TRACTOR AFTER SERIAL NO. 301172 THRU SERIAL NO. 303158, MF 202-204, MF 203-205

15 (B)	1 400 023 M91	Shaft and Coupler Assembly	1
16 (B)	1 400 024 M1	Coupler (11/16" ID x 2-5/8" Long)	1
17 (B)	1 400 025 M1	Shaft (10-11/32" Long)	1
18 (B)	1 501 332 M1	Key (#606 Woodruff, 3/16 x 3/4")	1
19	1 753 723 M92	Adapter Assembly, Pulley	1
20	1 400 022 M91	Bushing	3
21 (B)	1 086 696 M1	Adapter, Pump	1
22	1 752 206 M1	Bolt, Pulley Retaining (5/8 x 1-1/8" NF, Hex., Special)	1
23	359 405 X1	Washer (5/8" Ext. Skpf.)	1
24	353 693 X1	Bolt (3/8 x 1-1/4" NC, Hex.)	x
25	22 764 X	Washer (3/8" Ext. Skpf.)	x
26 (B)	353 704 X1	Bolt (7/16 x 1-3/4" NC, Hex.)	x
27 (B)	353 432 X1	Washer (7/16" Lock)	x

FOR FRONT MOUNTED PUMP

USED ON MF 50, MH 50 AND MF 65 TRACTORS

31 (C)	1 401 822 M2	Plate, Pump Mounting	1
32 (A-C)	1 401 814 M91	Shaft Assembly	1
33 (C)	1 401 815 M1	Shaft, Threaded (7/8 x 14-3/8")	1
34 (C)	1 401 816 M1	Coupler, Shaft to Pump	1
35 (C)	1 400 303 M1	Key	1
36	1 753 723 M92	Adapter Assembly, Pulley	1
37	1 400 022 M91	Bushing Assembly	3
38	1 752 206 M1	Bolt, Pulley Retaining (5/8 x 1-1/8" NF, Hex., Special)	1
39	1 401 506 M1	Washer, Pulley Retaining (Special)	1
45 (C)	353 693 X1	Bolt (3/8 x 1-1/4" NF, Hex.)	x
46 (C)	22 764 X	Washer (3/8" Ext. Skpf.)	x
47	358 402 X1	Bolt (1/2 x 1-3/4" NC, Flat Sckt. Hd.)	x
47	358 421 X1	Bolt (5/8 x 2-1/2" NC, Flat Sckt. Hd.)	x
49	375 112 X1	Nut (5/8" NC, Half Hex.)	x

FOR FRONT MOUNTED PUMP

USED ON MF 50 AND MF 65 UTILITY AND AGRICULTURAL AFTER SERIAL NO. 667917

31	1 401 822 M2	Plate, Pump Mounting	1
32 (A)	1 401 814 M91	Shaft Assembly	1
33	1 401 815 M1	Shaft, Threaded (7/8 x 14-3/8")	1
34	1 401 816 M1	Coupler, Shaft to Pump	1
35	1 400 303 M1	Key	1
45	353 693 X1	Bolt (3/8 x 1-1/4" NF, Hex.)	x
46	22 764 X	Washer (3/8" Ext. Skpf.)	x

Notes: (A)-When this Shaft Assembly is received it is 14-13/16" Long and is set for the MF 65 Utility, in order to fit it to the MF 50 Utility the coupler is to be moved so as to measure 15-9/16".
(B)-Used on MF 202-204, MF 203-205 Tractors only.
(C)-Used on MF 50, MH 50 and MF 65, prior to Serial No. 667917.


E 716-2
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
N
P
R
S
P
N P R S
20 21 23 25
22 24 26


T U V W
43 45 46 47
44 48 48 48
31
32
33
34
35
36
37
38
39
40
41
42
T
U
V
W

FOR FRONT MOUNTED PUMP

USED ON TO 35, MF 35, FE 35, TO 30, TO 20, TE 20, TEA 20, FORD-FERGUSON, 8N, 9N, MF 65 DIESEL

Ref. No.		Part No.	Description	No. Req.
1	(C,D,A,B)	1 400 003 M91	Coupling Assembly, Pump Drive	1
2		1 400 004 M1	Hub, Coupling, to Pump (11/16" Bore)	1
3		1 753 729 M1	Plate, Coupling, Center Member	1
4		1 753 731 M1	Hub, Coupling, to Drive Shaft	1
5	(A,C,D)	1 753 843 M91	Adapter Assembly, Pulley	1
6	(E)	1 400 022 M91	Bushing Assembly	4
7	(E,F,G,H)	704 812 M91	Adapter Assembly, Pulley	1
8		1 400 022 M91	Bushing Assembly	3
9		1 752 206 M1	Bolt, Pulley Retaining (5/8 x 1-5/8" NF, Hex. Special)	1
9	(H)	1 403 293 M1	Bolt, Pulley Retaining (7/8 x 1-1/4" NF, Hex.)	1
10		353 760 X1	Washer (5/8" Small Flat)	1
11		16 374 X	Washer (5/8" Int. Skpf.)	1
11		359 405 X1	Washer (5/8" Ext. Skpf.)	1
11	(H)	355 625 X1	Washer (15/16" Flat)	1
12		352 432 X1	Key (3/16" Sq. x 1-1/2")	1
13	(C,D)	1 753 845 M1	Shaft, Pump Drive (9-1/2" Long)	1
13	(A)	1 085 976 M1	Shaft, Pump Drive (7-7/8" Long)	1
13	(B,C,F)	1 085 975 M1	Shaft, Pump Drive (11-5/16" Long)	1
13	(E)	1 400 241 M1	Shaft, Pump Drive (10" Long)	1
14	(C)	1 752 223 M1	Pulley	1
14	(A)	1 752 225 M1	Pulley	1
14	(B,D)	1 752 224 M1	Pulley	1
14	(E,F)	1 400 242 M1	Pulley	1
14	(H)	733 872 M1	Pulley	1
15	(F)	733 504 M1	Pulley	1
20		354 125 X1	Screw (1/4 x 5/8" NC, Sckt. Hd.)	x
21		353 524 X1	Bolt (5/16 x 1-5/8" NF, Hex.)	x
22		353 916 X1	Nut (5/16" Half Hex.)	x
23		353 700 X1	Bolt (7/16 x 1-1/4" NC, Hex.)	x
24		359 404 X1	Washer (7/16" Skpf.)	x
24		353 432 X1	Washer (7/16" Lock)	x
25	(C,F)	353 693 X1	Bolt (3/8 x 1-1/4" NC, Hex.)	x
26	(C,F)	22 764 X	Washer (3/8" Skpf.)	x

FOR REAR MOUNTED PUMP

USED ON F 40, MF 50, MH 50 AND MF 65

31		1 085 917 M1	Plate, Drive Attaching	1
32		1 085 921 M1	Adapter, Drive to Plate	1
33		832 586 M1	Seal, Oil	1
34		1 085 924 M1	Housing	1
35		1 086 151 M91	Sprocket Assembly, Driving	1
36		1 085 811 M1	Cap, Sprocket	1
37		1 400 031 M1	Sprocket, Driven	1
38		1 085 856 M91	Chain Assembly (46 Pitches, 5/8" Pitch)	1
39		1 085 920 M1	Cover, Housing	1
40		1 085 922 M1	Gasket, Housing Cover	1
41		1 085 869 M1	Gasket, Pump	1
42		375 182 X1	Plug (1/2" Pipe, Sq. Hd.)	1
43		353 679 X1	Bolt (5/16 x 1" NC, Hex.)	x
44		353 446 X1	Washer (5/16" Lock)	x
45		353 698 X1	Bolt (7/16 x 1" NC, Hex.)	x
46		353 599 X1	Bolt (7/16 x 1" NF, Hex.)	x
47		353 681 X1	Bolt (7/16 x 1-1/4" NF, Hex.)	x
48		353 432 X1	Washer (7/16" Lock)	x

Notes: (A) - Used TE 20 and TEA 20.
(B) - Used MF 35 and TO 35 (Gas) FE 35.
(C) - Used TO 20 and TO 30.
(D) - Used Ford-Ferguson 8N, 9N.
(E) - Used TO 35 (Diesel) with a Standard Motors Engine.
(F) - Used MF 35 (Diesel) with a Perkins Engine.
(G) - Used MF 202/204, MF 203/205, MF 50.
(H) - Used MF 65 (Diesel) after Serial No. 667918.

E717-51


51
53
54
55
56
57
58
67
68
69
66
52
63
62
61
60
65
64
50
15
16
18
20
22
26
27
24
25
28
46
39
40
41
29
31
32
45
44
30
36
43
33
42
35
37
34
38
75
77
78
79
80
81
82
96
76
95
83
84
85
87
88
89
86
90
91
92
93
94

Ref. No.		Part No.	Description	No. Req.
15	(A)	704 394 M93	Valve Assembly, Three Way	1
16		1 752 362 M91	Lever Assembly, Dump	1
18		1 752 359 M1	Pin, Ball	1
20		1 752 357 M91	Lever Assembly, Lift	1
22		1 752 359 M1	Pin, Ball	1
24		1 752 361 M1	Pin, Lever	1
25		1 752 360 M1	Screw, Pin Retaining	1
26		1 403 136 M1	Spool, Lift	1
27		1 752 344 M1	Spool, Dump	1
28		1 085 272 M1	Seal, Oil	2
29		1 400 181 M1	Washer, Cup	2
30		1 752 346 M1	Spring, Spool	2
31		1 752 345 M1	Spring, Secondary	2
32		1 752 347 M1	Stop, Spool	2
33		1 752 349 M1	Retainer	2
34		1 400 182 M1	Back Cover	1
35		1 752 364 M1	Gasket, Back Cover	1
36		1 752 348 M1	Washer, Spool	2
37		1 400 183 M1	Shim, Pressure	x
38		353 666 X1	Bolt (1/4 x 5/8" NC, Hex.)	4
39		1 752 367 M1	Ball, Check	1
40		1 752 368 M1	Spring, Check	1
41		1 752 369 M1	Plug, Limit	1
42		1 400 184 M1	Spring, Pressure Relief	1
43		1 400 185 M1	Washer, Cone	1
44		1 400 186 M1	Cone, Pressure Relief	1
45		1 017 908 M1	Seat, Pressure Relief	1
46		1 403 137 M2	Restrictor	1
50		704 165 M91	Pump Assembly	1
51		1 400 155 M1	Plate, Front	1
52	(B)	1 018 066 M1	Seal, Shaft	1
53	(B)	1 400 157 M1	Seal, Moulded "V"	1
54	(B)	1 754 495 M1	Gasket, Protector	1
55	(B)	1 754 496 M1	Gasket, Backup	1
56		1 400 162 M1	Ball (7/32", Steel)	2
57		1 755 004 M1	Spring	2
58	(B)	1 754 487 M1	Diaphragm	1
60		1 400 164 M91	Body Assembly	1
61		1 400 165 M1	Pin (5/16 x 1-1/2" Dowel)	2
62		1 400 166 M1	Gear Assembly , Follow	1
63		1 754 669 M1	Ring, Retaining	2
64		1 400 167 M1	Gear Assembly, Leading	1
65		1 754 669 M1	Ring, Retaining	2
66		1 400 163 M1	Plate, Rear	1
67		1 400 176 M1	Screw (5/16 x 3" NC, Cross Recess Hd.)	2
68		354 615 X1	Bolt (5/16 x 2-1/2" NC, Hex.)	2
69		354 619 X1	Bolt (5/16 x 3" NC, Hex.)	2
		704 166 M91	Seal Repair Kit (Contains items marked "B")	x
75	(D)	704 390 M91	Cylinder Assembly, Double Acting Dump	1
76		1 400 175 M91	Barrel Assembly	1
77		195 260 M1	Nut (7/8" NF, Self Locking)	1
78		1 752 163 M1	Piston	1
79	(C)	361 140 X1	Washer, Backup	2
80	(C)	835 126 M1	"O" Ring (2-1/8" ID x 3/16")	1
81	(C)	851 145 M1	"O" Ring	1
82		1 752 162 M1	Rod, Piston	1
83		1 400 178 M1	Bearing	1
84	(C)	835 130 M1	"O" Ring	1
85	(C)	1 752 171 M1	Washer, Backup	1
86	(C)	1 001 465 M1	"O" Ring	1
87	(C)	1 752 170 M1	Washer, Backup	1
88	(C)	1 752 141 M1	Ring, Lock	1
89		1 509 429 M1	Nut, Bearing	1
90	(C)	22 810 X	Seal, Shaft	1
91		1 400 199 M91	Rod End Assembly	1
92		14 351 X	Grease Fitting (3/16" Str. Drive)	1
93		353 702 X1	Bolt (7/16 x 1-1/2" NC, Hex.)	1
94		353 432 X1	Washer (7/16" Lock)	1
95		1 401 338 M1	Plug	2
96		835 024 M1	"O" Ring (3/32 x 3/4" ID)	1
		704 643 M91	Kit, Cylinder Repair (Contains items marked "C")	x

Note: (A) - Used Early Model Loaders.
(D) - Used Early Model Loaders. Check carefully before ordering, Piston has removeable end.

E988


Z
67
65
66
Z 68
Z 69
70
71
31
33
34
32
30
20
21
6
16
12 11
1
2
26
25
15
14
13
4
10 7
8
9
7
5
24
23
22
24
3
40
41
57
58
42
56
53
54
51
55
52
45
48
49
46 47
44
43
50

Ref. No.		Part No.	Description	No. Req.
1	(A)	704 916 M91	Valve Assembly, Three Way	1
2		1 019 867 M1	Lever, Valve, Lift and Dump	2
3		1 019 868 M1	Pin, Lever Pivot	1
4		1 752 360 M1	Screw, Lever Pin Set (#10 - 24 x 3/16" Hex. Sckt.)	1
5		1 019 861 M1	Spool, Single Acting	1
6		1 019 856 M1	Spool, Double Acting	1
7		1 019 857 M1	Washer, Spring Retaining	4
8		1 019 858 M1	Spring, Spool Return	2
9		1 019 859 M1	Stop, Spring	2
10		1 019 860 M1	Ring, Snap, Washer to Spool	2
11		1 019 862 M1	Washer, "O" Ring Backup (Leather)	2
12		1 019 863 M1	"O" Ring, Spool	2
13		1 019 852 M1	Seat, Pressure Relief	1
14		1 752 366 M1	Ball, Relief Valve	1
15		1 019 864 M1	Spring, Relief Valve	1
16		1 085 443 M1	Shim, Relief Valve Spring	x
20		1 019 854 M91	Cover Assembly, Back	1
21		1 019 855 M1	Pin, Relief Valve Spring Centering	1
22		1 019 866 M1	Poppet, Check	1
23		1 019 865 M1	Spring, Poppet	1
24		1 019 853 M1	Plug	2
25		1 019 869 M1	Gasket, Back Cover to Valve	1
26		353 366 X1	Screw, Cover to Valve (1/4 x 5/8" NC, Hex.)	4
30		1 752 279 M1	Gasket, Valve to Side Frame	1
31		704 914 M91	Tube Assembly, Valve to Lift Cylinder Hoses	1
32		831 533 M1	"O" Ring, Tube (9/16 x 11/16 x 1/16")	1
33		1 400 154 M1	Connector, Swivel (7/8" NF to 1/2" P.T.)	2
34		835 024 M1	"O" Ring, Connector (3/4" ID x 3/32")	1
40	(B)	704 942 M92	Cylinder Assembly, Double Acting Dump	1
41		1 018 379 M91	Barrel Assembly, Cylinder (Welded)	1
42		1 019 975 M91	Rod Assembly, Piston (Welded)	1
43		1 509 429 M1	Nut, Bearing Retaining	1
44	(C)	1 752 141 M1	Ring, Snap, Bearing Stop (2-5/8" OD x .091")	1
45		1 019 976 M1	Bearing, Cylinder	1
46		1 001 465 M1	"O" Ring, Bearing (Inner)(1-1/4" ID x 1/8")	1
47	(C)	1 752 170 M1	Washer, Back-up (Inner)(Leather)(1-1/4" ID x 1/8")	1
48	(C)	835 130 M1	"O" Ring, Bearing (Outer)(2-1/4" ID x 1/8")	1
49	(C)	1 752 171 M1	Washer, Back-up (Outer)(Leather)(2-1/4" ID x 1/8")	1
50	(C)	22 810 X	Seal, Shaft (1-1/4" ID x 1-11/16" OD)	1
51		1 018 376 M1	Piston, Cylinder	1
52	(C)	1 001 465 M1	"O" Ring, Piston (Inner)(1-1/4" ID x 1/8")	1
53	(C)	1 752 167 M1	"O" Ring, Piston (Outer)(2-1/8" ID x 3/16")	1
54	(C)	361 140 X1	Washer, Back-up (Outer)(Leather)(2-1/8" ID x 3/16")	2
55		195 260 M1	Nut, Piston to Rod (7/8" - 14 Hex., Self Locking)	1
56		14 351 X	Grease Fitting, Rod End	1
57		1 086 529 M1	Plug, Pressure (7/8" - 14 Hex.)	2
58		835 024 M1	"O" Ring, Pressure Plug (3/4" ID x 3/32")	1
		835 597 M91	Kit Assembly, Seal Repair (Incl. items marked "C")	1
65	(D)	841 510 M91	Kit Assembly, Spill Tube Repair	x
66		704 932 M91	Tube Assembly, Spill	1
67		1 752 279 M1	Gasket, Tube Mounting	2
68		353 681 X1	Bolt, Valve Mounting (5/16 x 1-1/4" NC, Hex.)	4
69		195 550 X1	Stud, Valve Mounting (5/16" NC)	2
70		353 446 X1	Washer (5/16" Lock)	4
71		355 565 X1	Nut (5/16" NC, Hex.)	2

Notes: (A) - Used on late Model Loaders.
(B) - Used late Model Loaders. Check carefully before ordering, Piston Rod has welded end.
(D) - 841 510 M91 Kit is used to repair Spill Tube inside of Side Frame.


E941
9
8
7
6
M94
5
4
2
3
1
15
21
20
19
16
18
17
22
M93
48
47
46
45
44
43
41
42
M91
27
40
33
32
31
30
28
29
M92

LIFT CYLINDER

(SINGLE ACTING)

Ref. No.	Part No.	Description	No. Req.
1 (A)	704 388 M94	Cylinder Assembly, Lift	2
2	1 017 392 M91	Barrel Assembly, Cylinder	1
3 (B)	1 400 171 M1	Ring, Snap, Piston Rod	1
4	1 400 170 M1	Rod, Piston	1
5 (B)	1 506 223 M1	"O" Ring, Barrel to Bearing	1
6 (B)	1 017 393 M1	Bearing, Cylinder	1
7 (B)	852 140 M1	"O" Ring, Rod Sealing	1
8 (B)	1 506 225 M1	Washer, Back-up (Leather)	1
9 (B)	1 754 914 M1	Seal, Rod	1
15 (A)	704 388 M93	Cylinder Assembly, Lift	2
16	1 017 391 M91	Barrel Assembly, Cylinder	1
17 (B)	1 400 171 M1	Ring, Snap, Piston Rod	1
18	1 400 170 M1	Rod, Piston	1
19 (B)	852 140 M1	"O" Ring, Rod Sealing	1
20 (B)	1 506 225 M1	Washer, Back-up (Leather)	1
21 (B)	1 754 914 M1	Seal, Rod	1
22	1 753 487 M1	Plug (1/8" P.T.)	1
27 (A)	704 388 M92	Cylinder Assembly, Lift	2
28	1 403 106 M91	Barrel Assembly, Cylinder	1
29 (B)	1 400 171 M1	Ring, Snap, Piston Rod	1
30	1 400 170 M1	Rod, Piston	1
31 (B)	852 140 M1	"O" Ring, Rod Sealing	1
32 (B)	1 506 225 M1	Washer, Back-up (Leather)	1
33 (B)	1 754 914 M1	Seal, Rod	1
40 (A)	704 388 M91	Cylinder Assembly, Lift	2
41	1 400 169 M91	Barrel Assembly, Cylinder	1
42 (C)	1 400 171 M1	Ring, Snap, Piston Rod	1
43	1 400 170 M1	Rod, Piston	1
44 (C)	852 140 M1	"O" Ring, Rod Sealing	1
45 (C)	1 506 225 M1	Washer, Back-up	1
46 (C)	1 400 173 M1	Retainer	1
47 (C)	1 400 174 M1	Ring, Retaining	1
48	1 400 172 M1	Seal, Rod	1
	835 521 M91	Repair Kit for 704 388 M94, 704 388 M93 or 704 388 M94 Cylinder contains all items marked "B"	x
	704 650 M91	Repair Kit for 704 388 M91 Cylinder contains all items marked "C"	x

Note: (A) - Please check Cylinders carefully before ordering. The M94 model has a Barrel with a removable Bearing. (See Arrows) The M93 has the welded Barrel with the Hose hole drilled flush with the Barrel and also has a pipe plug next to the Hose hole. (See Arrow). The M92 has the welded Barrel with one Hose hole, the Hose hole is built up 1". (See Arrow). The M91 has the welded Barrel with one Hose hole and the hole is flush with the Barrel. (See Arrow).


E718-1
8
9
10
11
12
34
36
37
38
39
40
35
4
5
3
2
1
18
20
21
19
27
28
26
25
45
46
47
48
49
65
67
68
66
55
57
58
56

Ref. No.	Part No.	Description	No. Req.
1	1 049 762	Back Assembly, Manure Fork (33-1/8" Arm Width)(Order on Whole Goods)	1
1	1 049 763	Back Assembly, Manure Fork (38" Arm Width)(Order on Whole Goods)....	1
2	1 752 032 M1	Tine, Manure Fork.....	7
3	354 091 X1	Cotter Pin (1/4 x 1-1/2").....	7
4	1 401 683 M1	Hinge, Dump Ram (Welded).....	1
5	1 401 684 M1	Hinge, Lift Arm (Welded).....	2
8	1 140 801	Bucket Assembly, Manure Fork (Order on Whole Goods) (45" Width).....	1
9	1 753 262 M1	Blade, Manure Fork Bucket.....	1
10	353 538 X1	Bolt (3/8 x 1" NF, Hex.).....	4
11	353 434 X1	Washer (3/8" Lock).....	4
12	353 431 X1	Nut (3/8" NF, Hex.).....	4
18	1 049 772	Bucket Assembly, Landscape (33-1/8" Arm Width)(Order on Whole Goods)	1
18	1 049 773	Bucket Assembly, Landscape (38" Arm Width)(Order on Whole Goods)....	1
19	1 752 619 M1	Blade, Landscape Bucket.....	1
20	1 401 683 M2	Hinge, Ram (Welded).....	1
21	1 401 684 M1	Hinge, Lift Arm (Welded).....	2
25	1 049 778	Bucket Assembly, Flare (33-1/8" Arm Width)(Order on Whole Goods)....	1
25	1 049 779	Bucket Assembly, Flare (38" Arm Width)(Order on Whole Goods).....	1
26	1 753 244 M1	Blade, Bucket.....	1
27	1 401 683 M2	Hinge, Ram (Welded).....	1
28	1 401 684 M1	Hinge, Lift Arm (Welded).....	2
34	1 049 788	Scarifier Assembly (33-1/8" Arm Width)(Order on Whole Goods).....	1
34	1 049 789	Scarifier Assembly (38" Arm Width)(Order on Whole Goods).....	1
35	1 752 053 M1	Tooth, Scarifier.....	5
36	1 752 784 M1	Pin, Scarifier.....	2
37	1 752 532 M91	Pin (1/4" Klik).....	2
38	353 619 X1	Bolt (5/8 x 2-1/2" NF, Hex.).....	10
39	353 433 X1	Washer (5/8" Lock).....	10
40	353 427 X1	Nut (5/8" NF, Hex.).....	10
45	1 049 770	Dozer Assembly, Straight (33-1/8" Arm Width)(Order on Whole Goods)..	1
45	1 049 771	Dozer Assembly, Straight (38" Arm Width)(Order on Whole Goods).....	1
46	1 752 047 M1	Blade, Dozer.....	1
47	353 273 X1	Bolt (1/2 x 1-1/2" NC,#3 Plow).....	7
48	353 439 X1	Washer (1/2" Lock).....	7
49	375 098 X1	Nut (1/2" NC).....	7
55	1 049 766	Bucket Assembly, Utility (33-1/8" Arm Width)(Order on Whole Goods)..	1
55	1 049 767	Bucket Assembly, Utility (38" Arm Width)(Order on Whole Goods).....	1
56	1 752 036 M1	Blade, Utility Bucket.....	1
57	1 401 683 M2	Hinge, Ram Pivot (Welded).....	1
58	1 401 684 M1	Hinge, Lift Arm Pivot (Welded).....	2
65	1 049 782	Bucket Assembly, Snow (33-1/8" Arm Width)(Order on Whole Goods).....	1
65	1 049 783	Bucket Assembly, Snow (38" Arm Width)(Order on Whole Goods).....	1
66	1 753 267 M1	Blade, Snow Bucket.....	1
67	1 401 683 M2	Hinge, Ram Pivot (Welded).....	1
68	1 401 684 M1	Hinge, Lift Arm Pivot (Welded).....	2


1
2
3
4
5
6
7
8
9
10
11
12
15
16
17
18
19
20
22
23
24
30
35
36
37
38
39
40
41
42
43
44
45
46
47
50
51
52
53
54
55
56
57
58
60
61
62
63
68
69
70
71
72
U
V
W

Ref. No.	Part No.	Description	No. Req.
1	1 049 786	Dozer Assembly, Angle (33-1/8" Arm Width)(Order on Whole Goods).....	1
1	1 049 787	Dozer Assembly, Angle (38" Arm Width)(Order on Whole Goods).....	1
2	1 400 032 M91	Back Assembly (33-1/8" Arm Width).....	1
2	1 400 290 M91	Back Assembly (38" Arm Width).....	1
3	1 753 432 M91	Mouldboard Assembly.....	1
4	1 753 433 M91	Link Assembly.....	1
5	1 753 435 M1	Blade, Angle Dozer.....	1
6	1 753 436 M1	Pin (3/4 x 2-15/16").....	4
7	1 752 281 M1	Pin (3/4 x 2-3/16").....	2
8	353 273 X1	Bolt (1/2 x 1-1/2" NC, #3 Plow).....	8
9	353 439 X1	Washer (1/2" Lock).....	8
10	375 098 X1	Nut (1/2" NC, Hex.).....	8
11	1 753 018 M1	Pin (3/16" Hair).....	4
12	1 752 532 M91	Pin (1/4" Klik).....	2
15	1 049 790	Bucket Assembly, Material (33-1/8" Arm Width)(Order on Whole Goods).	1
15	1 049 791	Bucket Assembly, Material (38" Arm Width)(Order on Whole Goods).....	1
16	1 049 809	Bucket Assembly, Material (33-1/8" Arm Width w/Teeth)(Order on Whole Goods).....	1
16	1 049 810	Bucket Assembly, Material (38" Arm Width w/Teeth)(Order on Whole Goods).....	1
17	1 400 033 M91	Blade Assembly (w/o Teeth).....	1
18	704 802 M1	Blade (Drilled for Teeth).....	1
19	1 753 740 M1	Tooth, Digging.....	6
20	354 304 X1	Bolt, Tooth Retaining (5/8 x 2-1/4" NC, Plow).....	6
22	353 429 X1	Nut (5/8" NC, Half Hex.).....	6
23	1 401 683 M2	Hinge, Ram Pivot (Used on all four Buckets) (Welded).....	1
24	1 401 684 M1	Hinge, Lift Arm Pivot (Used on all four Buckets) (Welded).....	2
30	1 049 792	Back Assembly, Basic (33-1/8" Crane and Lift Fork)(Order on Whole Goods).....	1
30	1 049 793	Back Assembly, Basic (38" Crane and Lift Fork)(Order on Whole Goods)	1
35	1 049 795	Crane Attachment (Order on Whole Goods).....	1
36	1 400 284 M91	Crane, Boom.....	1
37	1 753 259 M91	Extension, Boom.....	1
38	1 400 285 M1	Link, Attaching.....	2
39	1 752 531 M1	Pin, Hook.....	1
40	353 764 X1	Washer (1" Large Flat).....	1
41	354 091 X1	Cotter Pin (1/4 x 1-1/2").....	1
42	1 752 282 M1	Pin, Boom Adjusting.....	1
43	1 752 532 M91	Pin (1/4" Klik).....	1
44	1 753 180 M1	Hook, Crane.....	1
45	1 400 286 M1	Bar, Link, Lower.....	2
46	1 400 287 M1	Bar, Link, Upper.....	2
47	1 400 288 M1	Casting, Pivot (Welds to Bridge Plate).....	1
50	353 595 X1	Bolt (1/2 x 1-1/2" NF, Hex.).....	4
51	353 439 X1	Washer (1/2" Lock).....	4
52	353 437 X1	Nut (1/2" NF, Hex.).....	4
53	354 568 X1	Bolt (3/4 x 2-1/2" NF, Hex.).....	2
54	353 440 X1	Washer (3/4" Lock).....	2
55	353 435 X1	Nut (3/4" NF, Hex.).....	2
56	355 785 X1	Bolt (1 x 3" NF, Hex.).....	2
57	353 443 X1	Washer (1" Lock).....	2
58	353 457 X1	Nut (1" NF, Hex.).....	2
60	1 049 794	Fork Assembly (Order on Whole Goods).....	1
61	1 752 296 M91	Fork Assembly.....	2
62	1 752 300 M1	Plate, Attaching.....	1
63	354 393 X1	Bolt (1/2 x 1" NF, Hex.).....	2
68 (A)	1 049 803	Conversion Kit, Pin and Bushing.....	1
69	1 400 243 M1	Pin, Hinge.....	2
69	1 400 244 M1	Pin, Pivot.....	2
70	1 085 091 M1	Pin (7/16" Klik).....	4
71	1 400 245 M1	Bushing, Hinge (1-1/64 x 1-9/32 x 11/16").....	2
72	1 400 246 M1	Bushing, Pivot (49/64 x 1-1/32 x 11/16").....	2

Note: (A) - Required to adapt Attachments to Pre 1959 Production Loaders, except for the Manure Fork Scoop.


E593-3

Ref. No.	Part No.	Description	No. Req.
	1 049 756	Sweekrake Stacker (33-1/8" Arm Width)(Order on Whole Goods).....	1
	1 049 757	Sweekrake Stacker (38" Arm Width)(Order on Whole Goods).....	1
2	1 400 954 M91	Frame Assembly, Main (33-1/8" Arm Width).....	1
2	1 400 955 M91	Frame Assembly, Main (38" Arm Width).....	1
3	1 751 931 M91	Tine Assembly.....	10
4	1 751 933 M1	Tip, Tine.....	1
5	19 891 X	Rivet (1/4 x 2-1/4" Wagon Box).....	1
6	1 751 935 M1	Saddle, "U" Bolt.....	10
7	1 751 942 M91	Pivot, Standard.....	4
8	1 751 938 M1	Brace, Frame.....	2
9	1 751 947 M91	Shaft Assembly, Rock.....	1
10	1 751 925 M1	Cap Assembly, Bearing.....	2
11	MP 1 049	Grease Fitting.....	1
12	1 751 926 M91	End Assembly, Rake.....	2
13	MP 1 049	Grease Fitting.....	1
14	1 751 967 M1	Angle, Push-off.....	4
15	1 751 963 M1	Slat.....	5
16	1 751 964 M1	Slat (Notched).....	1
22	1 751 962 M1	Angle, Push-off, Left.....	1
23	1 751 910 M1	Angle, Push-off, Right.....	2
24	1 751 965 M1	Brace, Push-off.....	2
25	1 754 089 M91	Angle Assembly, Push-off Link, Right.....	1
26	1 754 090 M91	Angle Assembly, Push-off Link, Left.....	1
27	1 751 966 M1	"U" Bolt, Hold Down.....	2
28	1 751 936 M1	Tine, Side.....	2
29	1 400 959 M91	Pivot Assembly, Push-off Cylinder.....	1
30	704 390 M91	Cylinder Assembly (See Page 17).....	1
35	1 752 531 M1	Pin, Cylinder Head End.....	1
36	1 752 281 M1	Pin, Check Link.....	1
37	1 752 532 M91	Pin Assembly (1/4" Klik).....	2
38	1 400 964 M1	Bushing, Cylinder.....	1
39	1 751 934 M1	"U" Bolt.....	10
40	1 400 210 M91	Adapter Assembly (3/4 - 16 to 1/2" P.T. x 45°).....	2
41	1 086 011 M91	Hose Assembly (1/2 x 58").....	2
42	1 751 946 M1	Angle, Brace.....	1
43	1 751 939 M1	Brace, Center Standard.....	2
44	1 400 970 M91	Clevis Assembly, Lower.....	1
45	1 400 972 M91	Link Assembly, Lower Check.....	1
46	1 751 977 M1	Latch, Check Link.....	1
47	1 751 975 M1	Bar, Side Link.....	2
48	1 751 969 M91	Clevis Assembly, Upper.....	1
55	359 994 X1	Bolt (1/4 x 4" NF, Hex.).....	x
56	353 918 X1	Nut (1/4" NF, Hex.).....	x
57	353 538 X1	Bolt (3/8 x 1" NF, Hex.).....	x
58	16 144 X	Bolt (3/8 x 2-1/2" NC, Carr.).....	x
59	353 434 X1	Washer (3/8" Lock).....	x
60	353 431 X1	Nut (3/8" NF, Hex.).....	x
61	353 566 X1	Nut (3/8" NC, Hex.).....	x
62	353 593 X1	Bolt (1/2 x 1-1/4" NF, Hex.).....	x
63	353 595 X1	Bolt (1/2 x 1-1/2" NF, Hex.).....	x
64	353 599 X1	Bolt (1/2 x 2" NF, Hex.).....	x
65	15 784 X	Bolt (1/2 x 4-1/2" NC, Carr.).....	x
66	353 439 X1	Washer (1/2" Lock).....	x
67	353 437 X1	Nut (1/2" NF, Hex.).....	x
68	375 098 X1	Nut (1/2" NC, Hex.).....	x
69	353 933 X1	Bolt (3/4 x 2-3/4" NF, Hex.).....	x
70	353 440 X1	Washer (3/4" Lock).....	x
71	355 566 X1	Nut (3/4" NF, Hex.).....	x

E 1037

1

MASSEY-FERGUSON

3

FILL TO PLUG LEVEL WITH S.A.E.
10 OR 20 WEIGHT OIL ONLY

4

99

2



Z
9

8



Z

Ref. No.	Part No.	Description	No. Req.
1	705 018 M1	Decal, Massey-Ferguson	2
2	196 293 M1	Decal, (5") Industrial Trademark	2
3	1 400 200 M1	Decal, Oil Level	1
4	705 008 M1	Decal, Emblem "99"	2
8	1 403 369 M1	Plate, Serial Number	1
9	353 949 X1	Screw, Plate (#4 Drive)	2